# mont-bell

取扱説明書

# ウエイディング シューズ

#### **Wading Shoes**

この度はお買いあげいただき、誠にありがとうございます。この取扱説明書(以下「本説明書」といいます) は本製品の正しい取扱方法を説明しています。ご使用の前に本説明書をよくお読みいただき、正しい使用 方法をご確認ください。

なお、ご不明な点等ございましたら、販売店もしくは(株) モンベル カスタマー・サービスまでお問い合わせください。 本説明書は大切に保管してください。

# ■ 特長

ウエイダーと組み合わせて使用できる軽量な釣り用のシューズです。樹脂製パーツで補強を施すことで横方向へのぶれを軽減しています。アウトソールはアクアグリッパー®を使用し、濡れた岩の上で驚異のグリップ力を発揮します。

#### ■ 各部の名称



※イラストはイメージです。

# ■ 安全上の注意 ぶずお読みください

登集 場合により人が死亡または重傷を負う可能性が想定される内容です。 軽傷または物的損害が発生する頻度が高いことが想定される内容です。

- ○本製品の改造や分解などは絶対にしないでください。性能が損なわれ、十分に機能が発揮できない恐れがあります。
- ○正しいお手入れ方法、保管方法を守ってください。誤ったお手入れや保管方法を行うと、本来の性能を 発揮できない恐れがあります。
- ○使用前は毎回必ず点検をしてください。老朽化が認められる場合や損傷が認められたり、疑わしい場合は直ちに本製品の使用を中止してください。本来の性能が発揮できない恐れがあります。

○フックを使用している靴は、足首内側のフックが反対の靴に引っ掛かり、転倒やケガの恐れがあります。 靴を履く際は、必ず靴ひもを一番上まで締めてください。痛みなどの理由で靴ひもを上まで締めずに歩く 場合や、下山中、稜線歩きの際は、特に慎重な足運びをお願いします。

また靴ひもが長すぎると結び目のループが大きくなり、フックに引っ掛かりやすくなります。その場合は、二重結びや靴ひものサイズ交換等で対応してください。

# 🏌 注意 人が傷害を負ったり物的損害の発生が想定される内容です。

- ○ソールの貼りつけに使用している接着剤は、靴の使用の有無にかかわらず経年劣化により剥離が起こる可能性があります。使用後のお手入れや保管方法は本説明書に従って行ってください。
- ○経年劣化や接着剥離は使用中に突発的に起こる可能性が高く、事故の原因にもなる可能性があります。ご使用前は靴本体やアウトソール(靴底)、ミッドソール(中底)等に異常がないことを点検してください。
- ○アウトソール(靴底)は屈曲を繰り返してひび割れ等の異常がないか確認してください。異常が見受けられた場合は直ちに使用をやめ、販売店もしくは弊社カスタマー・サービスまでお問い合わせください。
- ○新しい靴でフィールドに出かける際は必ず十分に慣らし履きを行ってください。 靴擦れなどのケガの恐れがあります。
- ○油がひいてある場所で使用しないでください。転倒やケガの恐れがあります。
- ○靴ひもは傷みにより、切れることがあります。フィールドに出かける際は必ず予備の靴ひもをお持ちください。
- ○アウトソールの種類によって特性が異なります。 右の表を参考にして、各ソールの特性を十分 理解した上で使用してください。

グリップ力の目安	滑りにくい	ハ 滑	りやすい	
アウトソールの素材	コケ	岩	草付	
ポリプロピレンフェルト	0	0	$\triangle$	
ラバー (アクアグリッパー)		0	0	

# ■ 使用前の点検

使用にあたっては、毎回必ず次のことを確かめてください。 異常が見られた場合は使用しないでください。

- □ソールのはがれがないか
- □縫い目のほつれや留め具の脱落がないか
- □アッパー(甲皮)の屈曲部にひび割れなどがないか
- □アウトソール(靴底)が擦り減っていないか
- □靴ひもが傷んでいないか
- □アウトソール(靴底)が屈曲を繰り返してひび 割れ等の異常がないか

# ■ お手入れ方法

間違ったお手入れ方法や保管方法は本製品の寿命を縮めます。 使用後や保管時は以下の点を参考にしてください。

汚れを放置すると経年劣化が進み、ソールのはがれの原因につながります。 ※使用されている素材は製品の品質表示をご覧ください。

#### ○ご使用後のお手入れ

- - 1) アウトソール (靴底) 水洗いしてください。
  - 2) アッパー(甲皮)部分 靴ひもを靴から外します。靴用ブラシ等を用いて汚れを落とし、 頑固な汚れは水洗いしてください。
    - ・靴ひも 外した靴ひもをネットに入れ、洗濯機を使用すると手軽に洗えます。



▲靴用ブラシで汚れを落とす

#### 3) フットベッド (中敷き)・靴内部


フットベッド(中敷き)は使用するたびに取り出し、しっかり乾燥させ てください。フットベッドを取り出すことで靴内部も乾かしやすくなり ます。フットベッドの汚れがひどい時は靴用洗剤とブラシで洗ってく ださい。靴内部は、ブラッシングで汚れをかき出してください。



▲靴内部についた泥を落とす

直射日光を避けて、風通しの良いところで2~3日かけて乾燥させてく ださい。靴内部に水分が残っている場合は、靴用の乾燥剤を靴の中 に入れてください。

※濡れた状態で直射日光やヒータ等で急激に乾燥させないでくださ い。皮革のヒビ割れ、硬化やソール等のはがれにつながる恐れが あります。



# ■ 保管方法

- ○風通しがよく、湿度が高くならない場所で、直射日光を避けて保管してください。
- ○火のそばや暖房器具のそばなどの高温になるところに置かないでください。変形や損傷の原因になります。
- ○購入時の靴箱や収納袋に入れて保管しないでください。湿気により靴の劣化やカビの原因になります。
- ○直射日光のあたる庭の物置や車のトランクなど高温になる場所に保管しないでください。 変形や損傷の原 因になります。

#### ■ 廃棄方法

○廃棄方法はお住まいの自治体の収集方法に従ってください。

#### ■ アフターサービス

お買い求めいただきました本製品は万全を期して製造しておりますが、万一不備な点がございましたら、お買 い求めいただいた販売店、もしくは下記の弊社窓口までご連絡ください。

製造上の欠陥による不具合の場合は無償で交換させていただきます。なお、修理、交換等の要否につきまし ては、弊社の裁量にて判断させていただきます。

なお、以下のような原因での破損、不良につきましては保証いたしませんのでご了承ください。

- ○本製品の誤った使用方法によるもの ○間違ったお手入れ、保管方法、経年変化による素材劣化
- ○乱暴な取り扱いによるもの
- ○その他、製造上の欠陥以外の原因によるもの

破損時は弊社にて診断をして、修理が可能な場合はご要望により有償にて修理をさせていただきます。

#### アウトソール(靴底)の交換

当社ではアウトソールの交換修理を行っています。アウトソール(靴底)の磨耗は、スムーズな歩行を妨げ ます。「滑りやすくなった」と感じたり、かかとやつま先部の減りが目立ってきたら早めに交換をしてください。 また、ミッドソール(中底)や靴本体との接合部の損傷にも注意し、異常が見られた場合は直ちに使用をや め、販売店もしくはモンベルカスタマー・サービスにご相談ください。

なお、一部の製品はアウトソール(靴底)の交換に対応していないものもございます。 当社カタログやホー ムページをご覧いただくか、販売店もしくはモンベルカスタマー・サービスにご相談ください。

# ■ 仕様

番:1126190

名: ウエイディングシューズ

# ■ その他

本製品の仕様、デザインは予告なく変更されることがあります。また、重量などのスペックには誤差が生じる場合があります。

MEMO

<u>株式会社 モンペル</u> 本 社 〒550-0013 大阪市西区新町2-2-2 モンベルホームページ https://www.montbell.jp/ 商品についてのお問い合わせはカスタマー・サービスまで Tel. 06-6531-3544 フリーコール: 0088-22-0031

# mont-bell

User's Manual

# Wading Shoes

#### **Wading Shoes**


Thank you for purchasing this product. Before using, please carefully read this manual for instructions on the proper care and usage of this product.

If you have any questions regarding this product, please contact Montbell Customer Service or the store of original purchase. Keep this manual for future reference.

# **■** Description

Montbell's lightweight fishing shoes that can be used while wearing waders. The reinforced side parts keep your foot in place, preventing side sways. The outer sole utilizes Aqua Gripper®, offering excellent traction on wet grounds and rocks.

# **■** Components



<sup>\*</sup>Illustration. Actual product may vary.

# ■ Safety Warnings! Please read carefully.

**WARNINGS!** 

Under certain conditions, use of this product can result in injury, death, or property damage.

- OD NOT modify or alter this product. Improper modifications and alterations can damage the product and impair function.
- OPlease follow recommended care and storage instructions. Improper care and storage can lead to decrease in performance.
- OPrior to use, check the shoe's condition and stop using immediately if you notice any damage or irregularities.

 $\bigcirc$ Make sure lacing the boots all the way up. Otherwise, a free hook may catch on the hook of the opposite boot, resulting in a fall or injury. When walking without lacing them all the way up, due to blisters or any other reason, pay special attention to your steps. A bigger lace loop is likely to snag in the hook of the other boot. In order to avoid an accident, try making loops smaller by

tying a double knot or replacing the laces with shorte	r ones.			
CAUTION! Under certain conditions, use or property damage.	of this product can result	in inju	ry	
The glue that is used to attach the sole to the shoe c peel off of the shoe, even if the shoe is never used. The instructions in this manual.  Accidents can occur while you are hiking or trekking inspect the shoes outsole, midsole, hooks and Dring Before using new shoes, be sure that they are thorous been broken in can cause foot pain and possibly lead Do NOT use on oiled surfaces. There is a possibility Prior to use, check the shoelaces for damage. Shoe use.  For shoes utilizing the Reel Adjust System, prior to u laces that are damaged can sever during use. When	due to glue peeling or agus for damage or irregular aghly broken in. New show to injury.  of slipping and causing ir laces that are damaged on the shoelaces for wearing these boots, we	e follo e. Pric ities. es that njury. an se	ow the or to u thave ver dumage.	e care ase not uring . Shoe
bringing the driver, a spare set of laces and this man		©	0	$\stackrel{\triangle}{\longrightarrow}$
Orterer to the graph on the right for each colo		Grips		Slips
material's characteristics.	Outsole material			Grass
	Polypropylene Felt Rubber (Aqua Gripper)	0	0	
The Check before use; immediately if you				using
☐ The sole is not peeling away from the shoe.	☐ Damage to the sho			
☐ The outsole has not become worn.	Tears in the upper			_
■Damage to the stitching or missing shoelace hooks	☐Cracks in the oute repeated bending	1 5016	# IIOI	
■ Care Improper care and storage can shorten the Follow the recommendations below to extend		oduct.		
Soiled shoes will degrade and age quicker and can lead	I to the sole peeling away	from	the sh	ioe.
○ Care after use ———————————————————————————————————				
Outsole     Wash with water.				

2) Upper

Remove the laces. To clean, use a shoe specific brush (for nubuck or suede shoes, use a brush suitable for synthetic materials) and for heavy soiling, wash with water. Only use shoe specific soaps. Non shoe specific soaps can damage the leather parts of a shoe.

· Laces can be placed in a laundry bag and washed in a washing machine.



▲Using a brush to remove soiling

#### 3) Inside the shoe including footbed (insole)

After every use, remove the insole from the shoe and allow it to dry completely. This also allows the inside of the shoe to dry. If necessary, the insoles can be washed using a shoe specific cleaner and a brush.


If the inside of the shoe is leather, it can be wiped cleaned. AWash with water. If the lining is a synthetic material, it can be cleaned using a brush.



#### 2 Drying .....

Allow to dry for 2 to 3 days in a well ventilated, cool, dry place. If there is water in the shoe, insert a shoe drying insert into the shoe.

\*Do not dry wet shoes in the sun or near a heater or dryer. Drying too quickly can damage leather and cause cracking and stiffening. This can also damage the adhesive and cause the sole to peel away from the shoe.



# **■ Storage**

- Store in a well ventilated, cool, dry place out of direct sunlight. The following storage methods can cause these shoes to deteriorate quickly.
- The original box or bag at the time of purchase.
- Any area that receives exposure from direct sunlight.
- OA car trunk or other area subject to high temperatures.

# Disposal

Please follow local regulations regarding waste disposal.

# ■ Warranty

Montbell's warranty covers all defects in materials and workmanship to the original owner, for the lifetime of the product. If a product ever fails due to a manufacturing defect, Montbell will repair or replace the product at Montbell's discretion. This warranty does not cover damage(s) caused by accident, improper care, negligence, misuse, alterations or normal wear and tear. Damage(s) not covered under warranty will be repaired at a reasonable rate. If you would like to make a warranty inquiry, please contact Montbell Customer Service or the store of original purchase.

#### Resoling services

Outsoles that have worn down can affect how you walk. If you notice that the treads aren't "gripping" well or if the toes or heels have become worn, it is generally time to replace the soles. If you notice the midsole has started to peel away from the shoe, stop using the shoes, Montbell provides sole replacement services at a reasonable rate, though there are some shoe models that can't be resoled. For additional information, please visit our website, contact Montbell Customer Service or the store where your shoes were originally purchased.

#### **■** Specifications

Style#: 1126190 Name: Wading Shoes

All product specifications and design are subject to change without prior notice. Actual product specifications may vary,

#### mont-bell Co.,Ltd.

2-2-2 Shinmachi, Nishi-ku, Osaka 550-0013 JAPAN https://www.montbell.com/

8