mont-bell

共通取扱説明書



この度はお買いあげいただき、誠にありがとうございます。この取扱説明書(以下「本説明書」といいます)は 本製品の正しい取扱方法を説明しています。ご使用の前に本説明書をよくお読みいただき、正しい使用方法 をご確認ください。

なお、ご不明な点等ございましたら、販売店もしくは (株) モンベル カスタマー・サービスまでお問い合わせく ださい。本説明書は大切に保管してください。

■ 特長

超軽量でデイパックの中へコンパクトに収納できる折り畳み式ポールです。グリップを長めに設計し、握り位 置を変えることでさまざまな状況に対応できます。4サイズ展開で、身長に合わせたモデルをお選びいただ けます。折り畳み時に干渉しない半円形の固定式トレッキングバスケットを備えています。

■ 各部の名称



■ 安全上の注意 必ずお読みください

■ ■ 軽傷または物的損害が発生する頻度が高いことが想定される内容です。

- ○本製品は登山用です。これ以外の目的では使用しないでください。
- ○本製品は軽量コンパクト性を重視したバランス補助用のポールです。体重をあずけるような使い方はお 避けください。
- ○本製品は登山用ピッケルではありません。グリセードやクライミングの支点には絶対に使用しないでくださ い。また、両端を強い力で引くとグリップやシャフトが抜けてしまう可能性があります。人や荷物の引き上 げには使用しないでください。
- ○岩場など手を使って確保が必要な場所では、バックパックに収納するなどして使用しないでください。

○落雷の恐れがあるときは使用しないでください。

- ○ご使用時にシャフトの固定が不十分だと転倒などの原因となり危険です。ご使用前は必ず固定状態を確 認してください。行動中も緩みがないかを確認してください。
- ○本製品の改造や分解などは絶対にしないでください。 性能が損なわれ、 充分に保護能力が発揮できない 恐れがあります。
- ○使用前は毎回必ず点検をしてください。老朽化が認められる場合や損傷が認められたり、疑わしい場合 は直ちに本製品の使用を中止してください。本来の性能が発揮できない恐れがあります。
- ○正しいお手入れ方法、保管方法を守ってください。誤ったお手入れや保管方法を行うと、本来の性能を 発揮できない恐れがあります。

注意 人が傷害を負ったり物的損害の発生が想定される内容です。

○使用中は振り回さないでください。周囲の人や物に危害を加える恐れがあります。

- ○シャフトおよびラチェットボタン部に潤滑油等を使用しないでください。確実な固定が得られず、転倒など の原因となり危険です。
- ○横からの強い荷重をかけないでください。構造上、横方向からの荷重には縦方向ほどの強度はありません。
- ○使用しないときは、石突きに必ず付属のポイントプロテクターを装着してください。
- ○ポールに全体重をかけることはお避けください。ケガやポールが破損する恐れがあります。
- ○お子さまや、ご年配の方がご使用になる際は、周囲の人がシャフトが固定されていることを確認してください。
- ○先端のポイントプロテクターは消耗品です。すり減った場合は速やかに専用のポイントプロテクターに交 換してください。
- ○高温になる場所に放置しないでください。グリップが変形したり、やけどをする恐れがあります。
- ○極度の低温下ではシャフトが凍ったり、各部の機能が低下することがあります。
- ○グリップは素材の特性上、保水して凍ったり、雪が付着することがあります。凍る可能性のある状況での 使用はお避けください。

使用前の点検
使用にあたっては、毎回必ず次のことを確かめてください。

□ひびや変形が見られないか

□シャフトのロックは確実にできるか

一テンションコードに緩みがないか

■ 使用方法

コースや地形に応じてグリップを握る位置、ストラップの長さを適切に調節してください。

○ 長さの目安(使用する状況に応じてグリップの握る位置を調節してください。)









になるように握ってください。 めに握ってください。

ポールと腕の角度が、約90度体の前に楽に突けるように短体に負担をかけない直立姿勢を山側を短めに、谷側を長めに 維持するため、長めに握ります。 握ってください。

○ 組み立て方法

●結束用ベルトを外します。ベルトが垂れない 2グリップと上段シャフトを持ち、ラチェットボタンがラ ように、グリップへ巻き付けて固定します。 チェット穴からでるまで、上段シャフトをグリップから 引き出します。その際は、各ジョイントをシャフトに確実 に接続してください。 グリップ ※ラチェットボタンがラチェット穴から確実に出てい ることを確認してください。 IIIIII 引き出す 上段シャフト ラチェット ボタン -ラチェット 穴 ジョイント ⚠注意 2カ所のジョイン X トが確実にシャ フトに接続され ジョイント ていることを確 認してください。 ○ 収納方法 ●ラチェットボタンを指で 2中段シャフト、下段シャ 押し込み、上段シャフ フトとジョイントの接続 を外し、結束用ベルト トをグリップ部へ収納 で固定します。 します。 結束用ベルト ► 押し込む

■ グリップの握り方とストラップの調節方法



○ ポイントプロテクター

独自構造の脱落しにくいラバー製キャップです。移動時や植生にダメージを与える可能性のある登山道 や木道では必ず装着して使用してください。また、雪上では取り外して使用してください。 ※ポイントプロテクターは消耗品です。傷んだ際は交換してください。

■取り付け方

カチッと音がするまで、ポールの石突きにしっかり差し込んでください。奥まで入れない と脱落する恐れがあります。



■ お手入れ方法 間違ったお手入れ方法や保管方法は本製品の寿命を縮めます。 使用後や保管時は以下の点を参考にしてください。

○ストラップが汚れた際は、中性洗剤で洗ってください。洗浄後は十分にすすぎ、完全 に乾燥させてください。

○ご使用後はシャフトを図のように出して汚れをよく落とし、完全に乾燥させてください。
 ○シャフトおよびラチェットボタン部に潤滑油を使用しないでください。

■ 保管方法

- ○ご使用後はシャフトを上記のお手入れ方法の図のように折り畳んで保管してください。ロック (ラチェットボタンがラチェット穴から出た状態)を解除せずに保管するとテンションコードを伸ばしてしまう恐れがあります。
 ○本劇日を長期間使用せずに保管する場合は、声射日光の光たらない風通しの良い場所に保管して、
- ○本製品を長期間使用せずに保管する場合は、直射日光の当たらない風通しの良い場所に保管して ください。

○火のそばや暖房器具のそばなどの高温になる所に置かないでください。変形や損傷の原因になります。

■ アフターサービス

お買い求めいただきました本製品は万全を期して製造しておりますが、万一不備な点がございましたら、お買 い求めいただいた販売店、もしくは下記の弊社窓口までご連絡ください。

製造上の欠陥による不具合の場合は無償で交換させていただきます。なお、修理、交換等の要否につきましては、弊社の裁量にて判断させていただきます。

なお、以下のような原因での破損、不良につきましては保証いたしませんのでご了承ください。

破損時は弊社にて診断をして、修理が可能な場合はご要望により有償にて修理させていただきます。

オプション(別売)本製品は下記の別売のオプションを利用することができます。

● ポイントプロテクター ● フォールディングポールケース 交換用のキャップです。 ポールを2本収納できます。

■ 仕様・サイズ

品 番: 1140261 品 名: U.L.フォールディングポール 120 使用長: 110~120cm 品 番: 1140260 品 名: U.L.フォールディングポール 113 使用長: 103~113cm 品 番: 1140259 品 名: U.L.フォールディングポール 105 使用長: 95~105cm 品 番: 1140258 品 名: U.L.フォールディングポール 100 使用長: 90~100cm 素 材: (シャフト) アルミニウム合金 (グリップ)EVA (ストラップ)ナイロン

■ その他

本製品の仕様、デザインは予告なく変更されることがあります。また、重量などのスペックには誤差が生じる場合があります。

1

#式会社 モンベルレ 本社 〒550-0013 大阪市西区新町2-2-2 モンベルホームページ https://www.montbell.jp/ 商品についてのお問い合わせはカスタマー・サービスまで Tel. 06-6531-3544 フリーコール:0088-22-0031



mont.bell

User's Manual U.L. Folding Pole

U.L. Foldina Pole

Thank you for purchasing this product. Before using, please carefully read this manual for instructions on the proper care and usage of this product.

If you have any questions regarding this product, please contact Montbell Customer Service or the store of original purchase. Keep this manual for future reference.

Description

This pole is ultralight and folds up compact enough to be stowed away even in a small daypack. The grip is designed to be longer, allowing you to change your hand position depending on the terrain. The U.L. Folding Pole has four different sizes to match your height. Trekking basket is specially shaped so the pole folds up neatly.

Parts



Safety Warnings! Please read carefully.

Under certain conditions, use of this product can result in injury, **WARNING!** death, or property damage.

OFor hiking and trekking use only.

- OThis trekking pole is designed with lightweight materials. Never place your full weight onto this pole, only use for keeping balance.
- ODo NOT use as an alpine axe, for glissading or as an anchor for climbing. Do NOT pull strongly on both ends of the pole as the shaft or grip can come apart. Do NOT use the pole for pulling up people or luggage.
- Olf the shaft is not properly secured, it can come apart or slide closed during use and result in a falling accident. Prior to use, check to see if the shafts are properly locked in place and periodically check for loosening.

OIn rocky terrain where climbing is necessary, store poles in your backpack or its stuff sack to free up vour hands.

ODo NOT use if there is a chance of lightning.

- ODo NOT modify or alter this product. Improper modifications and alterations can damage the product and impair function.
- OPlease follow recommended care and storage instructions. Improper care and storage can lead to a decrease in performance.
- \bigcirc Prior to use, check the product's condition and stop using immediately if you notice any damage or irregularities.

Under certain conditions, use of this product can result in injury **CAUTION!** or property damage.

ODo NOT swing or wave poles. May result in injury and property damage.

- ODo NOT apply lubricants to the shaft. If the shaft is not properly locked, it can come apart or slide closed during use and result in a falling accident.
- ODo NOT apply a strong horizontal force to the pole. Poles are not designed to support lateral forces.
- OAttach point protector when pole is not in use.
- ONever place your full weight onto this pole.
- Olf someone in your party cannot verify if the shaft is stable, such as a child, have someone in the group help verify the pole is safe to use.
- OReplace the point protector if it shows signs of heavy wear.
- OExposure to heat can cause the grip to deform and metal to become extremely hot.
- OExposure to freezing cold temperatures can freeze the shaft and impair performance.
- Ouring cold weather, snow can stick to the grip, which may absorb moisture and freeze. Not recommended for use in cold weather.

Prior to use, inspect this product and make sure:

- Cracks. damage or other irregularities are not found. Shafts are locked and secure. Tension cord is taut.

Directions

*Adjust gripping position based on trail conditions and terrain for improved comfort while trekking.

Optimal Pole Length



Choose a length so the angle

between your arm and the

trekking pole is 90 degrees.



Ascending

pole in front of you.

to make it easier to place the





Hold the grip at a higher position to make it easier to place the pole in front of you.

Traverse Hold the side closest to the mountain at a lower position and the side closest to the valley at a higher position.

\bigcirc Assembly

•Unwind the hook and loop strap to free the pole sections. Then rewind the hook and loop strap around the grip.

Hold the grip and the upper shaft, and extend until the ratchet button locks in place. Check each joint and make sure that each shaft is properly connected.

Grip *Make sure the ratchet button is fully engaged and locked in place. Extend Upper shaft Ratchet button Ratchet hole Joint ⚠注意 Check to make X sure that each shaft is Joint properly connected. ○ Storing Push the ratchet button 2 Disconnect the middle down and push the and lower shafts' upper shaft into the joints, fold the sections together, and grip. secure with the hook Hook and loop and loop strap. strap Push

Holding the grip and adjusting strap length
Holding the grip
Adjusting strap length



O Point protector

The point protector is Montbell's original design and features a piece of rubber that helps prevent the protector from coming off. We recommend using the point protector when the poles are not in use or when there could be plants easily damaged on a trail. Remove before using on snow. *Point protectors will wear out and eventually need to be replaced.

Attachment

Twist the point protector onto the pole's tip until it clicks into place. If not properly attached, point protector may become dislodged and fall off.

Care

- If necessary, wash the strap with a mild soap. After washing, rinse thoroughly and allow to air dry completely.
- OAfter use, wipe off any dirt or residue, fold up loosely, and allow to dry completely (as shown to the right).
- ODo NOT apply lubricants to the shaft or ratchet button.

Storage

- ○After use, fold up loosely for storage (as shown above). If stored with the ratchet button locked, the tension will cause the tension cord to stretch.
- Ostore in a well ventilated, cool, dry place. Keep out of direct sunlight and ultraviolet light.
- ODo NOT store in a car or places subject to temperature extremes.

Warranty

Montbell's warranty covers all defects in materials and workmanship to the original owner, for the lifetime of the product. If a product ever fails due to a manufacturing defect, Montbell will repair or replace the product at Montbell's discretion. This warranty does not cover damage(s) caused by accident, improper care, negligence, misuse, alterations or normal wear and tear. Damage(s) not covered under warranty will be repaired at a reasonable rate. If you would like to make a warranty inquiry, please contact Montbell Customer Service or the store of original purchase.

Accessories (Sold separately)

The following accessories are available for use with this product.

 Point Protector Replacement protector.
 Folding Pole Case Stores two poles.

Specifications

 Style#:1140261
 Name: U.L. Folding Pole 120
 Usable length: 110~120cm

 Style#:1140260
 Name: U.L. Folding Pole 103
 Usable length: 103~113cm

 Style#:1140259
 Name: U.L. Folding Pole 105
 Usable length: 95~105cm

 Style#:1140258
 Name: U.L. Folding Pole 100
 Usable length: 90~100cm

 Material: (Shaft) Aluminum alloy
 (Grip) EVA
 (Strap) Nylon

All product specifications and design are subject to change without prior notice. Actual product specifications may vary.



